



India's #1 Self-Study Notes

crack
IAS.com

📞 **92170 70707**
crackiasquery@gmail.com

www.crackIAS.com

Introduces the most scientific & easiest way of preparing

CURRENT AFFAIRS

Topic Wise NEWS

← SOURCES →

**PIB » The Hindu » Live Mint » HT » TOI » RBI ET » Indian Express
PRS Blog » IDSA » Government of India & UNO Official Sites
NASA & Nature into these subject separately.**



Topic Wise News for
GS (Pre-cum-Mains)
every Month

Download your copy from crackIAS.com

Monthly Archive on **topic** wise news for **GS Pre & Mains**

Index

| | |
|-----------------------------------------------------------------|---|
| Typhoon Nanmadol makes landfall in Japan..... | 2 |
| Scientists use drones to learn more about active volcanoes..... | 3 |
| Hurricane Ian grows stronger on path to strike Florida..... | 5 |

TYPHOON NANMADOL MAKES LANDFALL IN JAPAN

Relevant for: Geography | Topic: Important Geophysical Phenomenon - Tropical Cyclones

Typhoon Nanmadol made landfall in southwestern Japan on Sunday night, as authorities urged millions of people to take shelter from the powerful storm's high winds and torrential rain.

The storm officially made landfall around 7 p.m. local time (1000 GMT) as its eyewall arrived near Kagoshima city, the Japan Meteorological Agency (JMA) said.

It was packing gusts of up to 234 km per hour and had already dumped up to 500 mm of rain in less than 24 hours on parts of southwestern Kyushu region.

At least 20,000 people were spending the night in shelters in Kyushu's Kagoshima and Miyazaki prefectures, where the JMA has issued a rare "special warning" — an alert that is issued only when it forecasts conditions seen once in several decades.

"Please stay away from dangerous places, and please evacuate if you feel even the slightest hint of danger," Prime Minister Fumio Kishida tweeted after convening a government meeting. "Please move to safety while there is still light outside."

The JMA has warned the region could face "unprecedented" danger from high winds, storm surges and torrential rain."

[Our code of editorial values](#)

END

Downloaded from [crackIAS.com](https://www.crackias.com)

© **Zuccess App** by crackIAS.com

SCIENTISTS USE DRONES TO LEARN MORE ABOUT ACTIVE VOLCANOES

Relevant for: Geography | Topic: Important Geophysical phenomena - Earthquakes, Tsunamis & Volcanoes

Collecting gases from volcanoes is key to understanding the mysterious ways of volcanoes. Image for Representation. | Photo Credit: AP

Volcanic eruptions cannot be predicted with 100 per cent certainty. However, details about an upcoming eruption can be estimated using the hot and smelly gases a volcano produces.

These gases provide clues about the timing, duration or severity of upcoming eruptions which can help local authorities decide if and when the surrounding communities need to be evacuated.

On average, there are up to 50 volcanoes actively erupting on the planet at any given time. Many of these volcanoes are more likely to be spewing hot gases — like steam and carbon dioxide — than lava. Collecting these gases is key to understanding the mysterious ways of volcanoes, but it can be dangerous.

Now, drones are making it safer and easier than ever before.

For the better part of the last decade, I have been visiting such gassy volcanoes regularly to catch them just before, during or after an eruption.

I have worked with other scientists and engineers to measure volcanic gases with a variety of devices attached to drones.

Our latest research uses drones to capture volcanic carbon dioxide at Poás volcano in Costa Rica. We measured the isotopes of carbon in this carbon dioxide and discovered a pattern in the way these chemical fingerprints change during different stages of activity.

Carbon dioxide is everywhere: in the air we exhale, in vehicle exhaust — and dissolved in magma. At volcanoes, it escapes from magma to the surface through cracks and hydrothermal systems (like the geysers in Yellowstone National Park), by seeping through the soil or by puffing out in a plume of gas.

By obtaining a sample of this volcanic carbon, we can measure the stable carbon isotopic ratio, a unique chemical makeup which reflects the source and pathway the CO₂ took to the surface.

Each volcano around the world produces a unique range of these carbon isotopes which change when the volcanic system changes.

However, it took a long time to collect each sample when researchers needed to hike down into a crater, putting them at risk each second they remained in the danger zone. With the evolution of unoccupied aerial systems (UAS, also known as drones), researchers have started sending these machines into the danger areas.

To do this, we used switches and electronics parts to connect gas sensors to the onboard communications systems of the UAS. The volcanic CO₂ would be sucked in through a series of tubing with the help of a pump and sensors that would send a signal back to the pilot when we

entered the gas plume. With the flick of a switch on the remote control, the pilot could choose — from a safe distance — when and where to collect the gas sample.

We arrived in Costa Rica in April 2019 with our shiny new drone set-up, which we launched at the rim of Poás volcano and which crashed almost immediately. Thankfully, our team whipped up a quick solution for our second drone — a pump and switch hanging from the drone in a laundry bag. It worked flawlessly.

To avoid further losses, we got up close to the crater and flew our assembly directly above it. Later that day, we looked at the stable isotopes of carbon in our drone samples and in the samples we took from the ground. After we accounted for the mixing with the regular air in the drone samples, the two results were strikingly similar. Our drone assembly worked! A pattern emerges. When we started compiling our data with all the carbon isotopes measured at Poás volcano in the past, we noticed a trend in how the balance of isotopes shifted when the volcano was behaving differently.

During eruptive phases, when Poás was making wet explosions releasing extra hot, sulfur-rich gas, the isotopes of carbon slipped down to lighter values. Meanwhile, during quieter phases when the volcano was sealed, the isotopic balance rose to heavier values.

With this new insight, we could look back even further and stitch together our data with isotope data from older activity. We saw that this pattern was repeating itself, with the carbon isotopes alternating between heavy and light values over the last 20 years of activity at Poás. There were relatively heavy values when the volcano was sealed and there were relatively light values when the volcano was open.

We now have a blueprint of what warning signals to look for in future isotopes of carbon sampled at this volcano when it's gearing up to erupt.

Thanks to drones, we captured the first CO₂ from Poás volcano since 2014. Volcanic gases sampled before our work were all taken by hand by brave volcano scientists climbing down into the crater of Poás. These expeditions were few and far between.

We hope that with the onset of gas-capturing drones, carbon dioxide at volcanoes can start to be sampled more frequently. This will fill the gaps in the timeline and help us understand and forecast eruptions.

(The Conversation)

[Our code of editorial values](#)

END

Downloaded from crackIAS.com

© **Zuccess App** by crackIAS.com

HURRICANE IAN GROWS STRONGER ON PATH TO STRIKE FLORIDA

Relevant for: Geography | Topic: Important Geophysical Phenomenon - Tropical Cyclones

President Vladimir Putin on Monday granted Russian citizenship to U.S. whistleblower Edward Snowden, who exposed massive surveillance by the National Security Agency and was granted refuge by Moscow. A presidential decree published on Monday included Mr. Snowden on a list of newly-minted Russian citizens.AP

[Our code of editorial values](#)

END

Downloaded from [crackIAS.com](#)

© **Zuccess App** by crackIAS.com

CrackIAS.com